

ПРОБЛЕМНАЯ СТАТЬЯ

NOVEL VISUALIZATION OF THE PERIODIC SYSTEM OF ELEMENTS. THE ORTHOGONAL DIMENSION

НОВАЯ ВИЗУАЛИЗАЦИЯ ПЕРИОДИЧЕСКОЙ СИСТЕМЫ ЭЛЕМЕНТОВ. ОРТОГОНАЛЬНОЕ ПРЕДСТАВЛЕНИЕ

B. Momčilović
Б. Момчилович*

Institute for Medical Research and Occupational Health, Zagreb, Croatia.

Институт медицинских исследований и изучения профессиональных заболеваний, Загреб, Хорватия.

*Адрес для переписки: Berislav Momcilovic; E-mail: berislav.momcilovic@gmail.com

KEY WORDS: Periodic system of elements, novel graphical visualization, orthogonal dimension, meandering pattern.

КЛЮЧЕВЫЕ СЛОВА: Периодическая система элементов, новое графическое представление, ортогональная таблица, меандрирующая модель.

ABSTRACT: The Periodic system of elements is presented in a novel way such that rare earth and actinides, and the triads Fe/Co/Ni, Ru/Rh/Pd, Os/Ir/Pt, and Hs/Mt/Uun, are shown orthogonal within the table, and not separately as accompanying rows. The new graphic presentation facilitates the visual orientation, eliminates the now prevailing crunching of the elements in the middle of the table, and avoids the cognitive confusion of scattered positioning of the «a» and «b» element subgroups sometimes widely separated within the same row. A characteristic meandering pattern emerges whenever switch occurs between the horizontal and orthogonal dimension of the Periodic system; the inner meaning of these switches remains to be elucidated.

РЕЗЮМЕ: Периодическая система элементов представлена в новой форме, так, что лантаноиды и актиноиды, а также триады Fe/Co/Ni, Ru/Rh/Pd, Os/Ir/Pt и Hs/Mt/Ds помещаются ортогонально внутри таблицы, а не отдельно в дополнительных рядах. Новое графическое представление облегчает зрительную ориентировку, устраняет мозаичное размещение элементов в средней части таблицы и освобождает от трудностей восприятия, связанных с перемежающимся размещением элементов из основных и дополнительных подгрупп.

¹ Electron configuration. Since the number of the possible electrons in every electronic shell is limited (Paulie's Principle), the shells are arranged around the nucleus in the layers enumerated 1–7 or with capital letters K–Q. Only hydrogen H1 has 1s1 configuration; all the other elements have the first shell filled with two electrons (1s²). For example: N⁷ (nitrogen) electron configuration is 1s²2s²2p³ (Grlic, 1992).

PERIODIC SYSTEM OF ELEMENTS

Since the time of D.I. Mendeleev the Periodic system of elements progressed from the genuine simplicity into a gigantic matrix-box mega-structure containing over 3000 important facts (Fluck, 2002). That amount of details surpasses the most complex esoteric mandala in its complexity; here the term mandala is used in the broad sense of an all-encompassing space of the highly structured visual symbols, like the chemical elements in the Periodic system (Argueles, Argueles, 1985; Holton et al., 1996). More important, the very notion of periodicity was doubted by some scientists because of the «rare earths» (Trifonov, 1984), the presence of «triads» like Fe/Co/Ni in the VIIIb period, the uncertainty of the proper placing of the hydrogen (Petryanov, Trifonov, 1984), and by problems on how to include the isotopes of the elements into the table (Flerov, Ilyinov, 1986), to enumerate the few most important objections.

IMPROVEMENT SUGGESTIONS

From time to time suggestions would come on how to re-arrange the Periodic system to provide for the meaningful inclusion of the plethora of available data. Pendulum, pyramid, and spiral graphic models of the Periodic system appeared (Mazuris, 1974); indeed, the pendulum model was embraced by the «occult chemistry» (Besand, Leadbeater, 2003).

Over a decade ago Magarshak and Malinsky (1992) suggested a three-dimensional (3D) Periodic table based on quantum mechanics and Hund's rule (1927). Namely, that the term of largest S and among these the term of largest L is lowest in energy¹. In their case the number of chemical elements in periods is the

following: 2, 2, 8, 8, 18, 18, 32, 32. Therefore, for instance, in period number 1 only hydrogen and helium are present, the second period consists of only Li and Be, the third has eight elements from B to Mg, the fourth again contains 8 elements from Al to Ca, and so on.

Strictly speaking, the 3-D model of Magarshak and Malinsky was not 3-D; in essence it was the upside-down turned Periodic system what was «lateralized» (laterally expanded) with respect to the Periods. Nevertheless, their approach accommodates for the Linus Pauling (1939) suggestion of introducing the index of the electro negativity of atoms to the Periodic table.

THE MEANDERING OF THE VERTICAL COMPONENT DIMENSION

The aim of this short paper is to overcome the traditional boundary of viewing the Periodic system as a one-dimensional row-by-row «typewriter» model and to allow us to capitalize on Periodic system vertical component dimension (like in «crosswords»). The result of this elaborate transformation is shown in Figure 1 entitled the World of the Periodic system of elements. Indeed, it may be nicknamed a «meandering» model of the Periodic system because of its visual resemblance to the meandering river or meandering motif of some ancient Greek vase. Instantly, there is no further need for the separate rows of the rare earth and actinide series, the triads (VIIIb subgroup) became easily identifiable, and the overall distinction between the «a» and «b» subgroups become visible at a glance. The whole periodic sequence of elements became quite orderly with each element in its own niche and without the voluntary displacing within the rows of the groups.

Now, some intriguing aspects of such a novel visualization of the Periodic system emerge. If we look at Figure 1, we see the «meandering» what appears to be not haphazard, but shows distinct rhythmicity, as if some imaginary polarity is switching on and off and what changes the direction of periodicity. Starting with the Group 4 we may observe the «to-the-right // down // to-the-left» repetitive pattern, and which is not identical with the Hund's rule series. Such a spatio-temporal pattern formation is certain to reflect some as yet unrecognized deep structural features of the elemental atom itself (Walgraef, 1997).

THE LIMITS TO GROWTH

It should be noted that up till now the last identified element has a number 115 and nobody knows what the last possible element may be. Spiraneć (2005) in his book on Harmony developed an interesting

		GROUP															
		I.		II.		III.		IV.		V.		VI.		VII.		VIII.	
		a	b	a	b	a	b	a	b	a	b	a	b	a	b	a	b
1.		1 H															2 He
2.		3 Li		4 Be		5 B		6 C		7 N		8 O		9 F		10 Ne	
3.		11 Na		12 Mg		13 Al		14 Si		15 P		16 S		17 Cl		18 Ar	
4.		19 K		20 Ca		21 Sc		22 Ti		23 V		24 Cr		25 Mn		26 Fe	
																27 Co	
																28 Ni	
		29 Cu		30 Zn		31 Ga		32 Ge		33 As		34 Se		35 Br		36 Kr	
5.		37 Rb		38 Sr		39 Y		40 Zr		41 Nb		42 Mo		43 Tc		44 Ru	
																45 Rh	
																46 Pd	
		47 Ag		48 Cd		49 In		50 Sn		51 Sb		52 Te		53 I		54 Xe	
6.		55 Cs		56 Ba		57 La		58 Ce		59 Pr		60 Nd		61 Pm		62 Sm	
								63 Eu		64 Gd		65 Tb		66 Dy		67 Ho	
								68 Er		69 Tm		70 Yb		71 Lu		72 Hf	
												73 Ta		74 W		75 Re	
																76 Os	
																77 Ir	
																78 Pt	
		79 Au		80 Hg		81 Tl		82 Pb		83 Bi		84 Po		85 At		86 Rn	
7.		87 Fr		88 Ra		89 Ac		90 Th		91 Pa		92 U		93 Np		94 Pu	
								95 Am		96 Cm		97 Bk		98 Cf		99 Es	
								100 Fm		101 Md		102 No		103 Lr		104 Rf	
												105 Db		106 Sg		107 Bh	
																108 Hs	
																109 Mt	
																110 Ds	
		111 Rg		112 Uub		113 Uut		114 Uuq		115 Uup		116 Uuh		117 Uus		118 Uuo	
8.		119 ?		120 ?		121 ?		122 ?		123 ?		124 ?		125 ?		126 ?	
								127 ?		128 ENO?							

Fig.1. The World of the Periodic system of elements [elements 1–128]

«new Pythagorean» geometrical model, by which he aimed to prove that the last possible element in the Periodic system would be element 128. Indeed, close enough to Flerov and Ilyinov (1986) conclusion that the element 126 (and perhaps 127) may be possible. It remains to be elucidated if the observed periodicity of the actinides along the groups (the second rare earth series) (Weast et al., 1965), is a reality or an artificial construct reflecting the projection of such a «meandering» Periodic system into the realm of the yet unknown. This «meandering» pattern (shifting regularly from horizontal to a vertical direction) re-assembles the activation-inhibition (precipitation-diffusion) scheme process as may be seen in Zhabotinsky-Belousov reaction (Bell, 1999). Indeed, the observed «meandering» pattern looks like it falls under the Rule 110 proposed by Wolfram (2002) and what describes objects that move in time across the space and interacts with one another². For all the practical purposes, the classical portion of the Periodic system (elements H¹ to U⁹²) is shown in a new way in Figure 2.

ESSENTIAL ELEMENTS

Knowledge of the elemental structure and periodicity was crucial for the understanding of some aspects of interaction between the transition elements (Orgel, 1960), and for the development of the ligand-field theory (Hill, Matrone, 1970) in the biological (life) systems. This author shares the opinion of Holton (1996) and Aqscher (2002) that better visualization of complex systems, like the Periodic system of elements, can only help us to better understand and comprehend the nature's complexity. Considering the importance of trace elements in the human health and disease, and that not all the elements are

essential in human nutrition (Skalny, 1999), a «short-hand» form of the «meandering» Periodic system model is shown in Figure 3 (The realm of the Essential elements to the Men); the iodine being the heaviest element known to be essential for the human health. Amazingly, only 28 elements (H¹, B⁵, C⁶, N⁷, O⁸, F⁹, Na¹¹, Mg¹², Si¹⁴, P¹⁵, S¹⁶, Cl¹⁷, K¹⁹, Ca²⁰, V²³, Cr²⁴, Mn²⁵, Fe²⁶, Cr²⁷, Ni²⁸, Cu²⁹, Zn³⁰, As³³, Se³⁴, Sr³⁸, Mo⁴², Sn⁵⁰ and I⁵³) comprise the essential metabolic network of the human life and well-being³. However, the possibility of the interactions among the essential and non-essential elements expands the number of the possible outcomes, and what may greatly affect the final response of any such a metabolic network.

ACKNOWLEDGEMENTS

This work was supported by the grant No. 0022013 Metal Metabolism of the Ministry of Science, Education, and Sport of the Republic of Croatia. The generous philanthropic support by the RCS Trading Co. Ltd., Isle of Man, UK, is greatly appreciated.

REFERENCES

- Aqscher M.* The Colam tradition // Am. Sci. 2002, 90:56–67.
- Arguelles J., Arguelles M.* Mandala. Boston—London: Shambala, 1985.
- Bell P.* The self-made tapestry. Pattern formation in nature. Oxford, NY: Oxford University Press, 1999.
- Besant A., Leadbeater C.W.* Occult chemistry. 3rd reprint of 3rd ed. Adyar: The Theosophical Publishing House, 2003.
- Flerov G.N., Ilyinov A.S.* On the way to super elements. Moscow: MIR Publishers, 1986.
- Fluck E., Heumann K.G.* Periodic table of the elements, 3rd ed. Weinheim: Wiley-VCH, 2002.
- Grlic Lj.* Small Chemical Lexicon. 2nd ed. Zagreb: Naprijed, 1992. P. 56–58 [in Croatian].
- Hill C.H., Matrone G.* Chemical parameters in the study of in vivo and in vitro interactions of transition elements // Fed. Proc. 1970, 29:1474–1481.
- Holton G., Chang H., Jurkowitz E.* How scientific discovery is made: A case history // Am. Sci. 1996, 84:364–375.
- Hund F.* Linien Spektren und periodischen System der Elemente. Berlin, 1927.
- Magarshak Y., Malinsky J.* A three-dimensional periodic table // Nature. 1992, 360:134–135.

² Wolfram (2002) identified four kinds of behaviour for one-dimensional cell automata in a space-time diagram: (1) Alternate, (2) Nested, (3) Recursive, and (4) Random. Here presented «meandering» model of the Periodic system appears as if (3) Recursive and generated by Rule 110. [NB. Wolfram is the inventor of the «Mathematica» software program. For critical review of Wolfram's work see Hayes B. 2002. The world according to Wolfram // Am. Sci. Vol.90. P. 308–312.]

³ Today, it is thought that already 30 elements are essential for men and that titanium may be soon added to that list as the research on element essentiality is marching on (see Szolnin A., 2001. Biogenic elements. Cheliabinsk, Russia). I wish to thank the reviewer for drawing my attention to that important work of Szolnin since it should be noted that some of the valuable research done in the today Russia (and former USSR) is hard to get to read, to review, and to critically evaluate.

Mazuris E.G. Graphic representation of the periodic system during one hundred years. 2nd ed. University, AL: Alabama University Press, 1974.

Orgel L.A. An introduction to transition-metal chemistry: Ligand field theory. London: Methuen, 1960.

Pauling L. The nature of chemical bond. Cornell, NY: Cornell University Press, 1939.

Petryanov I.V., Trifonov D.N. Elementary order. Moscow: MIR Publishers, 1984.

Skalny A.V. Microelementoze. Poremećaji mikro-elemenata kod čovjeka. Zagreb: Edicija Royal Sales International, 1999 [in Croatian].

Špiranec V.I. Sklad/Harmony. Zagreb: Sveučilišna Knjižara, 2005. [in Croatian with parallel English translation].

Trifonov D.N. The price of truth. Moscow: MIR Publishers, 1984.

Walgraef D. Spatio-temporal pattern formation. New York: Springer-Verlag, 1997.

Weast R.C., Selby S.M., Hodgman C.D. (Eds.) CRC handbook of chemistry and physics. 46th ed. Cleveland, OH: The Chemical Rubber Co., 1965. P. B—98.

Wolfram S. A new kind of science. Champagne, IL: Wolfram Media Inc., 2002.